


WELD NECK EXTERNAL PRESSURE DIŞTAN BASINÇLI KOMPANSATÖR



MALZEME ÖZELLİKLERİ / MATERIALS

PARÇA NO	PARÇA ADI	PART NAME	MALZEME	MATERIAL
1	KÖRÜK	BELLOWS	PASLANMAZ ÇELİK (AISI 321)	STAINLESS STEEL (AISI 321)
2	LAYNER	LINER	PASLANMAZ ÇELİK	STAINLESS STEEL

METAL KÖRÜKLÜ KOMPANSATÖR DIŞTAN BASINÇLI Externally Pressured Metal Bellows Expansion Joint

Anma Ölçüsü Nominal Dimension	DN	25	32	40	50	65	80	100	125	150	200	250		
L		225		235		285		300		340				
ØD		33.7	42.4	48.3	60.3	76.1	88.9	114.3	139.7	168.3	219.1	273		
Δx (Eksenel Hareket) Axial Movement capability		30 mm (-20 / +10 mm)												
b		2.6		2.9		3.2		3.6		4		4.5	5.6	8.3

METAL KÖRÜKLÜ KOMPANSATÖR DIŞTAN BASINÇLI Externally Pressured Metal Bellows Expansion Joint

Anma Ölçüsü Nominal Dimension	DN	65	80	100	125	150	200	250
L		340		350		400		450
ØD		76.1	88.9	114.3	139.7	168.3	219.1	273
Δx (Eksenel Hareket) Axial Movement capability		60 mm (-40 / +20 mm)						
b		2.9	3.2	3.6	4	4.5	5.6	8.3

SICAKLIK / BASINÇ TEMPERATURE / PRESSURE		UYGULAMALAR	APPLICATIONS
° C	-80..... + 420	<ul style="list-style-type: none"> Sıcak ve Soğuk su sistemleri Kızgın Su Buhar, Kızgın buhar sistemleri Basınçlı Hava 	<ul style="list-style-type: none"> Hot and cold water Superheated water Steam superheated steam systems Pressurized Air
PN	16		

