


# COUPLING KAPLINLER



## Esnek Kaplin / Flexible Coupling

Nominal Ölçüler Nominal Size		Boru Çapı Pipe O.D.	Max. Çalışma Basıncı Max. Working Pressure		Allowance Pipe End. Sep. Allowance Pipe End. Sep.	Cıvata/Somun Çapı Bolt Size	Boyutlar / Dimensions		
Inch	mm	mm	MPa	psi	mm	mm	φ	L	H
12	300	325	2.0	300	0-4.8	2-M20x150	370	442	63
14	350	355.6	2.0	300	0-6	3-M22x130	403	490	74
14	350	377	2.0	300	0-6	3-M22x130	422	514	74
16	400	406.4	2.0	300	0-6	3-M22x130	454	566	74
16	400	426	2.0	300	0-6	3-M22x130	471	570	74
18	450	457.2	2.0	300	0-6	3-M22x130			76
18	450	480	2.0	300	0-6	3-M22x130	526	620	76
20	500	508	2.0	300	0-6	4-M22x130	558	660	78
20	500	530	2.0	300	0-6	4-M22x130	576	670	78
24	600	610	2.0	300	0-6	4-M22x130			78
24	600	630	2.0	300	0-6	4-M22x130	680	790	78



## Ağır Yük Sabit Kaplin / Heavy-duty Rigid Coupling

Nominal Ölçüler Nominal Size		Boru Çapı Pipe O.D.	Max. Çalışma Basıncı Max. Working Pressure		Cıvata/Somun Çapı Bolt Size	Boyutlar / Dimensions		
Inch	mm	mm	MPa	psi	mm	φ	L	H
2	50	60.3	5.5	800	2-M10x65	88.5	128	47
2 1/2	65	76.1	5.5	800	2-M12x85	104.5	153	47
3	80	88.9	5.5	800	2-M12x85	116.5	162	47
4	100	114.3	5.5	800	2-M12x85	149	196	53
5	125	139.7	5.5	800	2-M16x110	174	231	53
6	150	165.1	5.5	800	2-M16x110	201	260	53
8	200	216.3	5.5	800	2-M20x150	259	336	65
8	200	219.1	5.5	800	2-M20x150	262	340	65




# COUPLING KAPLINLER



## Ağır Yük Sabit Kaplin / Heavy-duty Rigid Coupling

Nominal Ölçüler Nominal Size		Boru Çapı Pipe O.D.	Max. Çalışma Basıncı Max. Working Pressure		Cıvata/Somun Çapı Bolt Size	Boyutlar / Dimensions		
Inch	mm	mm	MPa	psi	mm	φ	L	H
10	250	267.4	4.0	600	2-M20x150	320	392	65
10	250	273	4.0	600	2-M20x150	324	398	65
12	300	318.5	4.0	600	2-M20x150	375	448	65
12	300	323.9	4.0	600	2-M20x150	378	454	65



## Ağır Yük Esnek Kaplin / Heavy-duty Rigid Coupling

Nominal Ölçüler Nominal Size		Boru Çapı Pipe O.D.	Max. Çalışma Basıncı Max. Working Pressure		Allowance Pipe End. Sep. Allowance Pipe End. Sep.	Cıvata/Somun Çapı Bolt Size	Boyutlar / Dimensions		
Inch	mm	mm	MPa	psi	mm	mm	φ	L	H
2	50	60.3	5.5	800	0-3	2-M10x65	88.5	128	47
2 1/2	65	76.1	5.5	800	0-3	2-M12x85	104.5	153	47
3	80	88.9	5.5	800	0-3	2-M12x85	116.5	162	47
4	100	114.3	5.5	800	0-5.5	2-M12x85	149	196	53
5	125	139.7	5.5	800	0-5.5	2-M16x100	174	231	53
6	150	165.1	5.5	800	0-5.5	2-M16x100	201	260	53
8	200	216.3	5.5	800	0-6.8	2-M20x150	259	336	65
8	200	219.1	5.5	800	0-6.8	2-M20x150	262	340	65
10	250	267.4	4.0	600	0-6.8	2-M20x150	320	392	65
10	250	273	4.0	600	0-6.8	2-M20x150	324	398	65
12	300	318.5	4.0	600	0-6.8	2-M20x150	375	448	65
12	300	323.9	4.0	600	0-6.8	2-M20x150	378	454	65
14	350	355.6	3.5	500	/	/	/	/	/
16	400	406.4	3.5	500	/	/	/	/	/
18	450	457.2	3.5	500	/	/	/	/	/
20	500	528	3.5	500	/	/	/	/	/
24	600	610	3.5	500	/	/	/	/	/

